Maternal Child Health

Overall metric: County level ACE scores (include in next community level survey)

Key Priority Areas

Tobacco Use during pregnancy Metrics

Percent of women in Lewis and Clark County who use tobacco during pregnancy.
 Baseline: 17.3%, Target 15%

Evidence Based Interventions

- Adoption of the "Five A's" methodology in clinical practice Ask about tobacco use. Advise to
 quit. Assess willingness to make a quit attempt. Assist in quit attempt. Arrange follow-up.¹
- The US Preventive Services Taskforce recommends that "clinicians ask all pregnant women about tobacco use and provide augmented, pregnancy-tailored counseling for those who smoke.
- Provide training and technical assistance to healthcare and public health providers on helping women quit using tobacco before, during, and after pregnancy.
- Extend pregnancy-specific and postpartum-specific quitline services to women during and after pregnancy.
- Promote awareness of cessation benefits and effectiveness of treatment by implementing coordinated media campaigns that specifically target women during childbearing years.
- Develop customized programs for specific at-risk populations of women who are smokers and of reproductive age.
- Include Women, Infants, and Children (WIC) sites as points for intervening with pregnant and postpartum women.
- Design and promote barrier-free cessation coverage benefits for pregnant and postpartum women in public and private health plans.
- Promote cessation service integration aimed at improving birth outcomes.
- Implement evidence-based tobacco control policies that augment tobacco cessation for women before, during, and after pregnancy²

Community Resources

Family Violence

Metrics

- Number of Crisis line calls (Friendship Center Data)
 Baseline (2015): 3,050 Target: 3,300
- Number of Shelter nights (Friendship Center Data)

¹ https://www.acog.org/~/media/Departments/Tobacco%20Alcohol%20and%20Substance%20Abuse/SCDP.pdf

² http://www.astho.org/prevention/tobacco/smoking-cessation-pregnancy/

Baseline (2015): 5,439 (includes both residential and non) Target: 5,650

Number of substantiated child abuse and neglect cases in Lewis and Clark County
 Baseline: Target:

Evidence Based Interventions (recommended practices)

- Use a "safety first" approach with all victims
- Provide trauma informed and trauma specific care to victims
- Increase resources for and access to effective programs and treatments that address the mental health and substance abuse needs of parents
- Provide ongoing parental support to strengthen families
- Create greater connectedness across education, health and social sector programs
- Increase availability of personnel to serve vulnerable populations³[KL1]
- Promote of respectful, nonviolent relationships through individual, relationship, community, and societal level change⁴
- Promote healthy relationships and communication skills
- Engage men and boys in violence prevention
- Develop youth assets and leaders
- Encourage bystander intervention
- Change gender and violence social norms
- Inform policy and systems change
- Build coalitions
- Mobilize communities⁵
- Dating Matters Initiative to promote healthy teen relationships⁶

Community Resources

Breastfeeding

Metrics

Percentage of infants receiving WIC benefits exclusively breastfeeding at 3 months (WIC Data)

Baseline: 22% (2010-2013) Target: 30%

Evidence Based Interventions

- Support breastfeeding friendly policies in hospitals, such as the Breastfeeding Friendly Hospital Initiative
- Support breastfeeding friendly policies in workplaces

3

https://www.futureswithoutviolence.org/userfiles/file/Children_and_Families/Complete%20Matrix%20Booklet%2011FEB02.pdf

⁴ http://www.cdc.gov/features/intimatepartnerviolence/

⁵ http://www.cdc.gov/violenceprevention/deltafocus/index.html

⁶ http://www.cdc.gov/violenceprevention/DatingMatters/

- Provide peer and professional support to women
- Provide prenatal and ongoing education to mothers
- Develop public awareness campaigns that support and normalize breastfeeding⁷

Community Resources

⁷ http://www.cdc.gov/breastfeeding/pdf/breastfeeding_interventions.pdf